D.

AU Importer

Company name: Synergy Building Supplies

Emergency telephone number: 1300 655 853

Address: 236 PLANET ST WELSHPOOL WA 6106



#### 1. Identification

Δ	Product	nama	CLEANPOXY	PLITTV	(HARDENER)	
н.	Product	Hallie	CLEANPUXT	PULL	( DARUEINER )	

B. Recommended Use and Restriction on Use

O General use : For concrete

O Restriction on use: Restricted to use other than recommended use

C. Manufacturer / Supplier / distributor information

○ Company name : (주)노루페인트

O Address: 351, Bakdal-ro, Manan-gu, Anyang-si, Gyeonggi-do, Korea

O Emergency telephone number: 031-467-6114

#### O Address 331, bakda1-10, Mahan-gu, Anya

## A. GHS Classification

2. Hazard identification

Acute toxicity (dermal) Category 4

Acute toxicity (inhalation: vapor) Category 3

Reproductive toxicity Category 2

Serious eye damage/irritation Category 2

Specific target organ toxicity(Repeated exposure) Category 2

Skin sensitization Category 1

Skin corrosion/irritation Category 2

#### B. GHS label elements

O Hazard symbols





○ Signal words : DANGER

O Hazard statements :

H312 Harmful in contact with skin

H331 Toxic if inhaled

H361 Suspected of damaging fertility or the unborn child

H319 Causes serious eye irritation

H373 Prolonged or repeated exposure may cause damage to the liver, testes, skin, respiratory system,

blood and central nervous system of the body (Refer Section SDS 11)

H317 May cause an allergic skin reaction

H315 Causes skin irritation

 $\bigcirc$  Precautionary statements

## - Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

#### - Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P321 Specific treatment

P362+P364 Take off contaminated clothing and wash before reuse.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor/physician.

P308+P313 If exposed or concerned: Get medical advice / attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists, get medical attention / attention.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P332+P313 If skin irritation occurs: Get medical advice/attention.

#### - Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store in a locked place.

- Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

## C. Other hazards which do not result in classification: (NFPA Classification)

Utilei	Hazai us	WITTOIT	uo no	it resurt	1111	Classification	· (MITA GIAS	31116411011)		
Chemic	cal Name						NFPA grade	Health	Flammability	Reactivity
Limest	one							1	0	0

Fatty acids, tall oil reaction products with tetraethylenepentamine	NO DATA	NO DATA	NO DATA
Calcium carbonate	2	0	0
Benzyl alcohol	2	1	0
Fatty acids, soya	NO DATA	NO DATA	NO DATA
2,4,6-Tris[(dimethylamino)methyl]phenol	3	1	0
Sepiolite	1	0	0

#### 3. Composition/information on ingredients

Chemical Name	Trade names and Synonyms	CAS-NO	Content(%)
Benzyl alcohol	Benzyl alcohol	100-51-6	5
Limestone	Limestone	1317-65-3	65
Calcium carbonate	Calcium carbonate	471-34-1	10
Sepiolite	Sepiolite	63800-37-3	1
Fatty acids, soya	Fatty acids, soya	68308-53-2	1
Fatty acids, tall oil reaction products with tetraethylenepentamine	Fatty acids, tall oil reaction products with tetraethylenepentamine	68953-36-6	17
2,4,6- Tris[(dimethylamino)methyl]phenol	2,4,6- Tris[(dimethylamino)methyl]phenol	90-72-2	1

#### 4. First-aid measures

- A. Eye Contact: If you wear a contact lenses, remove them first. Do not rub your eyes. If irritation, pain, swelling, tears or glaring happens, take medical assistant immediately Flush exposed eyes with plenty of water for more than 15minutes.
- B. Skin Contact: Wear gloves while washing the patient and avoid contact with exposed clothes. Wash carefully after handling. If symptoms like redness or irritation occurs, take medical assistant immediately. Wash off with soap and water for more than 15 minutes. And take medical assistant immediately. If symptoms like irritation or pain occurs, take medical assistant immediately. Remove exposed clothing, and wash off exposed area with soap and water.
- C. Inhalation: Take a medical assistant immediately. Remove contaminated clothing and shoes, and isolate it. If hard to breathe, administering oxygen Perform the artificial respiration, using the pocket mask with one way valves or other respiratory medical devices. If inhalated or swallowed, do not perform the inhalation phase of breathing If not breathing, perform the artificial respiration. Avoid from exposure, and move into an area with fresh air.
- D. Ingestion Contact: Flush mouth with water immediately. It is need to be considered that early removal of some ingested material by gastric lavage must be weighed against potential complications of bleeding or perforation Take proper medical assistant by symtoms. If ingested large quantity, take medical assistant. Do not try to induce vomiting, if occurs, keep head below hips to prevent swallow into lungs. Inducing vomit.
- E. Notes to Physician : There is no specific antidote and take an appropriate medical treatment.

### 5. Fire-fighting measures

- A. Suitable (Unsuitable) extinguishing media
  - O Suitable extinguishing media: Powder extinguishing agent, gaseous Extinguishing Agent, and regular foam.
  - O (Unsuitable) extinguishing media: Avoid extinguishing fire with halogenting agent. Avoid use waterjet as fire extinguishing agent. Water is not appropriate extinguishing agent
  - O case of big fire: Use appropriate protective device depend on the situation. Stay away more than 800m to avoid tank explosion. Spread large amount of the extinguishing agent as a mist form with staying against wind.
- B. Specific hazards arising from the chemical
  - O Pyrolysate: Irritating and highly toxic gases may produced during the combustion by pyrolysis or combustion itself. Carbon dioxide, toxic carbon compounds/Nitrogen compounds/sulfur compounds
  - O Fire and Explosion danger: Vapors may explode indoors, outdoors, and in drains Leakages may fire / explosion hazard and could be easily ignited by heat, sparks or flames. Container may explode when heating May form explosive mixture at or above ignition point Vapor may be released to the ignition source and ignited. Aqueous (Exclude water-soluble one) products does not have risk of fire or explosion hazard by itself. Risk of medium-sized fire.
- C. Special protective actions for fire-fighters
  - O Personal Precautions, protective equipment: Gas mask or air respirator, heat resistant clothing, heat resistant helmet, heat resistant gloves, heat resistant boots
  - O Emergency procedures: Do not approach if the tank is on fire. Avoid inhalation of the substance or combustion products. Use an unmanned fire extinguishing device, in case of large-sized fire. If not, leave it to burn. Tell the fire department, location of the fire and the hazardous features. Protect others from access and prohibit access to dangerous areas. Block the area except for the fire-suppression personnel. Cooling containers with water long time after extinguish fire. If there is no risk, moving containers away from fire. Use appropriate extinguishing agents to catch fire.

## 6. Accidental release measures

- A. Personal Precautions, protective equipment and emergency procedures
  - O Personal Precautions, protective equipment : Gas mask for organic gases, other appropriate protective device / clothing / gloves.
  - O Emergency procedures: Do not contact on the bare skin Do work with the personal protected devices such as gas mask for organic gases other appropriate protective devices / clothing / gloves. Spray water to reduce amount of steam. Take an action to block the leakage if there is no risk.
- B. Environmental precautions
  - O Atmosphere: Using local ventilation to Minimize the exposure to worker. Do install the local ventilations and full ventilation system

- O Soil: Use absorbent to collect the appropriate container. Trap spilled material at bottom in deep water pockets, excavated holding areas or within sand bag barriers.
- O Under water: Collect spilled material with mechanic devices Use absorbent to collect the appropriate container.
- C. Methods and materials for containment and cleaning up
  - O Small spill: Move to appropriate container for disposal of spilled material collected. Absorb for use sand or other non-combustible material.
  - O Large spill: Notify to central and local government, when emissions are above regulation. Prohibit access of unnecessary people, isolate hazard area to secure.

#### 7. Handling and storage

A. Precautions for safe handling: Storing with combustible substances such as stained clothes or paper may cause fire by spontaneous ignition. Thus do not stack it, and keep it in a non-flammable container with cap filled with water and dispose it. Do not take contaminated clothings away from the work area. Avoid contact with heat, sparks, flames or other sources of ignition. Do not inhale vapor for long-term or repeatedly. Do not handle until read and understood all safety precautions. Avoid contact with prohibited materials in mixture. Wash carefully after handling. Use local ventilations and a full ventilation system when handling Seal the container for minimizing the petroleum steam Ground for preventing the static discharge Keep or handle followed by Dangerous goods Safety Management Act

B. Conditions for safe storage, including any incompatibilities: Store away from waterworks and sewers. Collect in an airtight container to dispose. Prevent static electricity and do not store near heat sources. Store in original container only. Store in accordance with all current law and regulations. Check periodically for leaks Store in a cool, dry, well-ventilated area. Storage temperature: 25 ~ 35 °C Storage temperature: 15 ~ 25 °C Storage temperature: 5 ~ 15 °C Stored in an isolated place, freezing caution, high temperature body caution. Avoid strong oxidizing agents, acid. Storage temperature: 5 ~ 35 °C Avoid direct sunlight while storing outdoor. Because of evaporation and contamination concerns, airtight the container and store in a well-ventilated building.

#### 8. Exposure controls/personal protection

- A. Exposure Limits
  - Limestone
    - ACGIH : NO DATA
    - Biological exposure indices: NO DATA
  - O Fatty acids, tall oil reaction products with tetraethylenepentamine
    - ACGIH : NO DATA
  - Biological exposure indices : NO DATA
  - O Calcium carbonate
    - ACGIH : NO DATA
    - Biological exposure indices : NO DATA
  - Benzyl alcohol
    - ACGIH : NO DATA
    - Biological exposure indices : NO DATA
  - O Fatty acids, soya
    - ACGIH : NO DATA
  - Biological exposure indices : NO DATA
  - 2,4,6-Tris[(dimethylamino)methyl]phenol
    - ACGIH : NO DATA
    - Biological exposure indices : NO DATA
  - Sepiolite
    - ACGIH : NO DATA
    - Biological exposure indices : NO DATA
- B. Engineering Controls:
  - ${\,ert}$  Do install the local ventilations and full ventilation system
  - $\, \triangleright \,$  Using local ventilation to Minimize the exposure to worker.
  - NO DATA
  - NO DATA
- C. Personal Protective Equipment
  - O Respiratory protection: If there is possibility of direct contact or exposure to these substances should wear a authorized dust-proof mask or respirator for organic compounds Respiratory protection is ranked in order from minimum to maximum Respiratory protection may be needed, while frequent use or heavy exposure. Consider warning properties before use. Use the personal protect respirator for organic solvent or higher level of capacity when workers are supposed to be exposed under unsuitable respiratory working condition, or longer period exposure than standard level. Respirators should be authorized by Korea Occupational Safety and Health Agency
  - O Eye protection: If there is possibility of direct contact or exposure to these substances should wear authorized safty glasses or mask. Let workers do wear the safety glasses in case hazard caused by mist may be expected. Install washing facilities and an emergency washing facilities close to workplace. Use the respirator for organic solvent or higher level.
  - O Hand protection: If there is possibility of direct contact or exposure to these substances should wear authorized safety gloves for chemicals. Wear appropriate protective gloves Wear the chemical protective gloves Do the workers wear the impermeable protective gloves made from rubber/PVC due to skin irritation may be supposed by chronicle and long period exposure.
  - O Skin protection: If there is a possibility of direct contact or exposure to the substance Wear protective clothing for chemical substances Wear cleanroom garment or appropriate protective clothing to prevent contamination Wear appropriate chemical protective clothing. Work after wearing the impermeable protective apron made by rubber/PVC in case hazard caused by exposure or spill, wear the impermeable whole body protective clothing if needed.

```
A. Appearance : Liquid
B. Odor : Specific Odor
C. Odor threshold: NO DATA
D. PH: NO DATA
```

E. Melting point/Freezing point( ${}^{\circ}$ C) : NO DATA

F. Initial Boiling Point/Boiling Ranges(℃): NO DATA

G. Flash point(℃): 95

H. Evaporating Rate: NO DATA

I. Flammability(solid, gas)(℃) : NON Flammable

J. Upper/Lower Flammability or explosive limits: NO DATA

K. Vapour pressure : NO DATA L. Solubility: Water insoluble M. Vapour density: NO DATA

N. Specific gravity : 1.7  $\pm$  0.1

O. Partition coefficient of n-octanol/water : NO DATA

P. Autoignition temperature(°C): NO DATA Q. Decomposition temperature(°C): NO DATA

S. Molecular weight: NO DATA

R. Viscosity: NO DATA

#### 10. Stability and reactivity

A. Chemical stability: NO DATA

B. Possibility of hazardous reactions: Avoid contaminants and friction Do not contact with heat, spark, flame or other flammable sources

C. Conditions to avoid : Oxidation agent, metal and combustable materials

D. Hazardous decomposition products: Thermal decomposition products (carbon etc.,)

## 11. Toxicological information

A. Information on the likely routes of exposure O Respiratory tracts: Adverse lung effects, Dyspnoea, Hypothermia, Vomitting Oral: Vomitting, Diarrhea, Stomach pain, Irregular heartbeat O Skin: Irritation, Burn, Adverse nerve effects ○ Eye : Irritation, eye damage

B. Delayed and immediate effects and also chronic effects from short and long term exposure

○ Limestone - Acute toxicity Oral : NO DATA

Dermal : NO DATA Inhalation : NO DATA

- Skin corrosion/irritation : NO DATA - Serious eye damage/irritation : NO DATA - Respiratory sensitization : NO DATA

- Skin sensitization : NO DATA

- Carcinogenicity IARC : NO DATA OSHA: NO DATA ACGIH : NO DATA NTP : NO DATA

EU CLP : NO DATA - Germ cell mutagenicity : NO DATA - Reproductive toxicity: NO DATA - STOT-single exposure : NO DATA - STOT-repeated exposure : NO DATA - Aspiration hazard : NO DATA

O Fatty acids, tall oil reaction products with tetraethylenepentamine

- Acute toxicity Oral : NO DATA Dermal: NO DATA Inhalation: NO DATA

- Skin corrosion/irritation : NO DATA - Serious eye damage/irritation : NO DATA - Respiratory sensitization : NO DATA

- Skin sensitization: NO DATA

- Carcinogenicity IARC : NO DATA

```
OSHA: NO DATA
    ACGIH: NO DATA
    NTP : NO DATA
    EU CLP : NO DATA
  - Germ cell mutagenicity : NO DATA
  - Reproductive toxicity : NO DATA
  - STOT-single exposure : NO DATA
  - STOT-repeated exposure : NO DATA
  - Aspiration hazard : NO DATA
O Calcium carbonate
  - Acute toxicity
    Oral : LD50 = 6450 mg/kg Rat
    Dermal : NO DATA
    Inhalation: NO DATA
  - Skin corrosion/irritation : the rabbit-Draize tes usually stimulus, stimulus person show
  - Serious eye damage/irritation: Rabbit-Draize tes the extreme irritation, mild irritation to those who show
  - Respiratory sensitization : NO DATA
  - Skin sensitization: NO DATA
  - Carcinogenicity
    IARC : NO DATA
    OSHA : NO DATA
    ACGIH : NO DATA
    NTP: NO DATA
    EU CLP : NO DATA
  - Germ cell mutagenicity : In vitro Salmonella typhimurium Ames test: Negative with or without metabolic
  activation system
  - Reproductive toxicity: When negative In vitro Salmonella typhimurium Ames test, regardless of the presence or
  absence of metabolic activation system
  - STOT-single exposure : Inhalation airway irritation
  - STOT-repeated exposure: By exposure to blood system disorders, digestive disorders, hormonal causes more
  - Aspiration hazard : NO DATA
○ Benzyl alcohol
  - Acute toxicity
    Oral : LD50 = 1230 mg/kg Rat
    Dermal: LD50 = 2000 mg/kg Rabbit
    Inhalation : LD50 = 2000 mg/kg Rabbit
  - Skin corrosion/irritation : usuallystimulus(100mg, 24H, rabbit)
  - Serious eye damage/irritation : Non-irritating(rabbit)
  - Respiratory sensitization : NO DATA
  - Skin sensitization : NO DATA
  - Carcinogenicity
    IARC : NO DATA
    OSHA: NO DATA
    ACGIH : NO DATA
    NTP: NO DATA
    EU CLP : NO DATA
  - Germ cell mutagenicity : NO DATA
  - Reproductive toxicity: NO DATA
  - STOT-single exposure : NO DATA
  - STOT-repeated exposure : NO DATA
  - Aspiration hazard : NO DATA
O Fatty acids, soya
  - Acute toxicity
    Oral : NO DATA
    Dermal : NO DATA
    Inhalation : NO DATA
  - Skin corrosion/irritation : NO DATA
  - Serious eye damage/irritation : NO DATA
  - Respiratory sensitization : NO DATA
  - Skin sensitization : NO DATA
  - Carcinogenicity
    IARC : NO DATA
    OSHA : NO DATA
    ACGIH : NO DATA
    NTP : NO DATA
    EU CLP : NO DATA
  - Germ cell mutagenicity : NO DATA
  - Reproductive toxicity : NO DATA
  - STOT-single exposure : NO DATA
  - STOT-repeated exposure : NO DATA
  - Aspiration hazard : NO DATA
0 2,4,6-Tris[(dimethylamino)methyl]phenol
  - Acute toxicity
    Oral : LD50 = 1200 mg/kg Rat
    Dermal : LD50 = 1280 mg/kg Rat
    Inhalation : LD50 = 1280 mg/kg Rat
  - Skin corrosion/irritation : severe stimulus
  - Serious eye damage/irritation : Severe irritation
  - Respiratory sensitization : NO DATA
  - Skin sensitization : NO DATA
  - Carcinogenicity
```

IARC : NO DATA

OSHA: NO DATA ACGIH : NO DATA NTP: NO DATA EU CLP : NO DATA

- Germ cell mutagenicity : NO DATA - Reproductive toxicity : NO DATA - STOT-single exposure : NO DATA - STOT-repeated exposure : NO DATA

- Aspiration hazard : NO DATA

○ Sepiolite

- Acute toxicity Oral : NO DATA Dermal : NO DATA Inhalation : NO DATA

- Skin corrosion/irritation : NO DATA - Serious eye damage/irritation : NO DATA - Respiratory sensitization : NO DATA

- Skin sensitization : NO DATA

- Carcinogenicity IARC : NO DATA OSHA: NO DATA ACGIH : NO DATA NTP : NO DATA EU CLP : NO DATA

- Germ cell mutagenicity : NO DATA - Reproductive toxicity : NO DATA - STOT-single exposure : NO DATA - STOT-repeated exposure : NO DATA - Aspiration hazard : NO DATA

#### 12. Ecological information

O Benzyl alcohol

O Fatty acids, soya - Persistence : NO DATA - Degradability : NO DATA

- Persistence : log Kow = 1.1 - Degradability : NO DATA

O 2,4,6-Tris[(dimethylamino)methyl]phenol - Persistence : log Kow = 0.77 - Degradability : NO DATA

## A. Ecotoxicity O Limestone - Fish : NO DATA - Crustaceans : NO DATA - Algae : NO DATA O Fatty acids, tall oil reaction products with tetraethylenepentamine - Fish : NO DATA - Crustaceans : NO DATA - Algae : NO DATA O Calcium carbonate - Fish : LC50 > 56000 mg/ $\ell$ 96 hr - Crustaceans : NO DATA - Algae : EC50 = 22000 mg/ℓ 96 hr O Benzyl alcohol - Fish : LC50 = 10 mg/ $\ell$ 96 hr - Crustaceans : NO DATA - Algae : NO DATA O Fatty acids, soya - Fish : NO DATA - Crustaceans : NO DATA - Algae : NO DATA 2,4,6-Tris[(dimethylamino)methyl]phenol - Fish : LC50 = $447.821 \text{ mg}/\ell$ 96 hr - Crustaceans : LC50 = 28.198 mg/ $\ell$ 48 hr - Algae : EC50 = $34.812 \text{ mg}/\ell$ 96 hr ○ Sepiolite - Fish: LC50 1254.44 mg/l 96 hr Salmo gairdneri - Crustaceans : NO DATA - Algae : NO DATA B. Persistence and degradability O Limestone - Persistence : NO DATA - Degradability : NO DATA O Fatty acids, tall oil reaction products with tetraethylenepentamine - Persistence : log Kow = 4.42 - Degradability : NO DATA O Calcium carbonate - Persistence : NO DATA - Degradability : NO DATA

	<ul><li>Sepiolite</li><li>Persistence: NO DATA</li><li>Degradability: NO DATA</li></ul>
C.	Bioaccumulative potential  Limestone  Bioaccumulative potential: NO DATA  Biodegration: NO DATA  Fatty acids, tall oil reaction products with tetraethylenepentamine  Bioaccumulative potential: NO DATA  Biodegration: NO DATA  Calcium carbonate  Bioaccumulative potential: BCF = 3.162  Biodegration: NO DATA  Benzyl alcohol  Bioaccumulative potential: NO DATA  Biodegration: Biodegradability = 94 (%) 28 day (Aerobic, Activated Sludge)  Fatty acids, soya  Bioaccumulative potential: NO DATA  Biodegration: NO DATA  Biodegration: NO DATA  Sepiolite  Bioaccumulative potential: BCF = 3.162  Biodegration: NO DATA  Sepiolite  Bioaccumulative potential: NO DATA  Biodegration: NO DATA
D.	Mobility in soil  ○ Limestone  ▷ NO DATA  ○ Fatty acids, tall oil reaction products with tetraethylenepentamine  ▷ Koc = 1555 (Can be adsorbed in the soil)  ○ Calcium carbonate  ▷ Koc = 4.971  ○ Benzyl alcohol  ▷ NO DATA  ○ Fatty acids, soya  ▷ NO DATA  ○ 2.4.6-Tris[(dimethylamino)methyl]phenol  ▷ NO DATA  ○ Sepiolite  ▷ NO DATA
E.	Other adverse effects  Limestone  NO DATA  Fatty acids, tall oil reaction products with tetraethylenepentamine  NO DATA  Calcium carbonate  NO DATA  Benzyl alcohol  NO DATA  Fatty acids, soya  NO DATA  Fatty acids, soya  NO DATA  2,4,6-Tris[(dimethylamino)methyl]phenol  NO DATA  Sepiolite  NO DATA
3.	Disposal considerations

# 13

A. Disposal methods: To prevent environmental pollution, dispose it to a licensed waste disposal company. Recycle the recycleable materials, such as organic solvents, and then incinerate the residue at high temperature. Pre-treat with oil-water separation method when it is available. Disposal material should keep in the airtighted container, and consign according to Waste Mateial Management Act

B. Special precautions for disposal: Discard it followed by appropriate regulations Prohibit the unauthorized disposal and incineration due to adversely affect natural ecosystems

## 14. Transport information

○ EmS SPILLAGE SCHEDULE : N/A

A. UN number : Non regulated B. Proper shipping name : N/A C. Hazard class : Non dangerous goods D. Packing group : N/A E. Marine pollutant : N/A F. Special precautions for user related to transport or transportation measures ○ EmS FIRE SCHEDULE : N/A

```
O Limestone
  - Information of EU Classification

    ▷ Classification : NO DATA

    ▷ Safety Phrase : NO DATA

  - U.S. Federal regulations
     ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
     ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
     ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
     ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
     ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
  - Rotterdam Convention listed ingredients : NO DATA
  - Stockholm Convention listed ingredients: NO DATA
  - Montreal Protocol listed ingredients : NO DATA
Fatty acids, tall oil reaction products with tetraethylenepentamine
   Information of EU Classification

    Classification : NO DATA

▷ Risk Phrases : NO DATA

    ▷ Safety Phrase : NO DATA

  - U.S. Federal regulations
     ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable

    □ CERCLA Section 103 (40CFR302.4) : notapplicable

     ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
     ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
     ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
  - Rotterdam Convention listed ingredients : NO DATA
  - Stockholm Convention listed ingredients : NO DATA
  - Montreal Protocol listed ingredients : NO DATA
O Calcium carbonate
   - Information of EU Classification

    ▷ Classification : NO DATA

▷ Risk Phrases : NO DATA

    ▷ Safety Phrase : NO DATA

  - U.S. Federal regulations
     ▷ OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
     ▷ CERCLA Section 103 (40CFR302.4) : NO DATA
     ▷ EPCRA Section 302 (40CFR355.30) : NO DATA
     ▷ EPCRA Section 304 (40CFR355.40) : NO DATA
     ▷ EPCRA Section 313 (40CFR372.65) : NO DATA
  - Rotterdam Convention listed ingredients: NO DATA
  - Stockholm Convention listed ingredients : NO DATA
  - Montreal Protocol listed ingredients : NO DATA
O Benzyl alcohol
  - Information of EU Classification

▷ Classification : NO DATA

     ▷ Risk Phrases : NO DATA
     ▷ Safety Phrase : NO DATA
  - U.S. Federal regulations
     ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
     ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
     ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
     ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
     ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
  - Rotterdam Convention listed ingredients : NO DATA
  - Stockholm Convention listed ingredients : NO DATA
  - Montreal Protocol listed ingredients : NO DATA
O Fatty acids, sova
  - Information of EU Classification
     ▷ Classification : NO DATA
     ▷ Risk Phrases : NO DATA

    ▷ Safety Phrase : NO DATA

  - U.S. Federal regulations

hd OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
     ▷ CERCLA Section 103 (40CFR302.4) : NO DATA
     ▷ EPCRA Section 302 (40CFR355.30) : NO DATA
     ▷ EPCRA Section 304 (40CFR355.40) : NO DATA
     ▷ EPCRA Section 313 (40CFR372.65) : NO DATA
  - Rotterdam Convention listed ingredients : NO DATA
  - Stockholm Convention listed ingredients: NO DATA
  - Montreal Protocol listed ingredients : NO DATA
0 2,4,6-Tris[(dimethylamino)methyl]phenol
  - Information of EU Classification

    ▷ Classification : NO DATA

     ▷ Risk Phrases : NO DATA
     ▷ Safety Phrase : NO DATA
  - U.S. Federal regulations
     ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
     ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
```

▷ EPCRA Section 302 (40CFR355.30) : notapplicable

▷ EPCRA Section 304 (40CFR355.40) : notapplicable
 ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
 Rotterdam Convention listed ingredients : NO DATA
 Stockholm Convention listed ingredients : NO DATA
 Montreal Protocol listed ingredients : NO DATA

○ Sepiolite

- Information of EU Classification

▷ Classification : NO DATA

▷ Risk Phrases : NO DATA

▷ Safety Phrase : NO DATA

- U.S. Federal regulations

▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable

▷ CERCLA Section 103 (40CFR302.4) : notapplicable

▷ EPCRA Section 302 (40CFR355.30) : notapplicable

▷ EPCRA Section 304 (40CFR355.40) : notapplicable

▷ EPCRA Section 313 (40CFR372.65) : notapplicable

- Rotterdam Convention listed ingredients : NO DATA

- Stockholm Convention listed ingredients : NO DATA

- Montreal Protocol listed ingredients : NO DATA

## 16. Other information

#### A. Reference

This MSDS is based on 'Industrial safety and health' Act paragraph 41 and Proclamation of Ministry of Labor and Employment 2016-19, and considered domestic regulations.

This MSDS is based on KOSHA, NITE, ESIS, NLM, SIDS, IPCS, NCIS.

B. Issue date : 2020-05-25

C. Revision number and Last date revised :

D. Other: " WWW.NOROO.CO.KR"